

Receiving Report

Date: 12/4/16Batch No: M121546Supplier: METAXA 96+%Dart P/O: 16769

Packing Slip: Yes No
 Invoice: Yes No
 Receipt: Cash Cr

Release Note Attached: Yes No N/A
 Waybill Attached: Yes No N/A
 Shipment Complete: Yes No N/A
 QC6 Inspection OK 12/04/16 N/A
 Work Order N/A

Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
|-------------|-------------|------------------|-------------------|-------------------|----------------|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |

Initials of receiver (if shipment OK) Level 12

Production/Admin: 12/4/16
 Date
 Received/Costing
 Initial

Location

Purchase Order Receipt Listing

Thursday, April 26, 2012 2:38:25 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO16769 Receipt Dates from 4/26/2012 to 4/26/2012 All Line Item Types
 All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp | Project ID Req | Reference/ Description/ Cert Std | PO U/M / Stock U/M | Required Date Required Qty | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Book Amt |
|---------------------------------|-------------------|-------------------|---|--------------------------|-------------------------------|------------------------|----------------------|------------------------------|--|-------------------------------|----------|
| PO16769 | 1 | VC-MET001 | Métaux Castle MI174RQ375 f 174 SS ROUND BAR .375" 121546 | f f f BAR .375" | 5/2/2012 24.0000 | 4/26/2012 DESS02 | 24.0000 \$190.58 | \$7.94 0.0000 | 0.0000 0.0000 | 0 0 | \$190.58 |

Total Received Quantity:

Total Qty to Inspect (PO U/M):

Total Reject Quantity:

Total Receipt Value:

Total Balance Due Quantity:

0.0000

0.0000

\$190.58

0.0000

24.0000



PACKING SLIP/
CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No:12855558

| Ship From: | Sold To: | | Ship To: | Deliver To: | | | |
|---|---|--|---------------|--|------------|-------------|------------------|
| A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2 | DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN | K6A 1K7 CA | DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON | | | |
| Final Destination Branch - MON | | | | | | | |
| Shipment Details | Date Shipped | F.O.B. | Freight Terms | Carrier | | | |
| | 25-APR-2012 | ORIGIN | Prepaid | MANITOULIN | | | |
| | | | | BOL No 1285558-2 | | | |
| Shipment Details | Order No | Line No | Item No | Description | | | |
| | 2147597 | 1 | 262220 | 0.3750.RD.17CR-4NI STAINLESS.CF SOL TR.COND A.132.0000-156.0000 SPECIFICATIONS: AMS 5643 | | | |
| Purchase Order No | Part Number | Ordered Qty | Invoice Qty | | | | |
| 16769 | | 24.00 FT | 24.00 FT | 24.00 FT | | | |
| Delivery No. | Mill | Heat Number | Mech Id | PCS | Width (IN) | Length (IN) | Shipped Qty(LBS) |
| 117567143 | TALLEY METALS, INC. | G17533 | | 2 | 1 | 144 | 9.02 |

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/were exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative: _____ Date: _____ Name: _____

CERTIFICATE OF TESTS
CERT SERIAL# 000777854

TALLEY METALS
A Carpenter Company

Talley Metals Technology, Inc.
205 Talley Metals Lane
McBee, SC. 29101 Tel: (610) 208-2000 (800) 338-4592

06/03/11
CUSTOMER/BESTELLER/CLIENT

A.M. CASTLE & CO

3400 N WOLF RD
FRANKLIN PARK IL 60131

ABNAHMEPRUEFZEUGNIS

CERTIFICAT DE CONTROLE

- THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47.
- THE VALUES AND OTHER TECHNICAL DATA REPRESENT THE RESULTS OF ANALYSES AND TESTS MADE ON SAMPLES COLLECTED FROM THE TOTAL LOT. ORIGINAL DATA RECORDS CAN BE TRACED BY REFERENCE TO THE CARPENTER ORDER NUMBER.
- MATERIAL IS MANUFACTURED FREE FROM MERCURY, RADIUM, ALPHA AND GAMMA SOURCE CONTAMINATION.
- THIS DOCUMENT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN CONSENT OF CARPENTER TECHNOLOGY CORPORATION.

SELLER/VERKAUFER/VENDEUR PAGE 1 OF 2

HVL

| CUSTOMER ORDER NO./BESTELL-NR./N° DE COMMANDE | CARPENTER NO./WERKS-NR./N° DE REFERENCE INTERNE | DATE/DATUM/DATE | WEIGHT/GEWICHT/POIDS |
|---|---|-----------------|----------------------|
| 97965-005 | W90292 | 06/03/11 | 1304.000 |

HEAT NUMBER / SCHMELZE-NR. / N° DE COULEE : G17533

PRODUCT DESCRIPTION: TYPE 17-4 SOLUTION ANNEALED COLD FINISH
PART NUMBER: IAC 26220

SPECIFICATION: CASTLE 3174-01 CAP OF COND. H900 REV 31 (12/14/10)
----- AMS 2303 REV F {08/ /10}
AMS 5643 REV R (02/ /08) (UNS S17400) (AISI 630)
ASTM-A564-10
ASME-SA564 2010 EDITION

SIZE 0.375000 IN. (9.53 MM) RD BAR

PRIMARY HEAT CHEMISTRY (WT%): (TEST METHOD IS SHOWN IN PARENTHESIS)

| C (COM) | MN (XRF) | SI (XRF) | P (XRF) | S (COM) | CR (XRF) |
|----------|----------|----------|---------|----------|----------|
| 0.02 | 0.87 | 0.28 | 0.020 | 0.024 | 15.46 |
| NI (XRF) | MO (XRF) | CU (XRF) | N (FUS) | CB (XRF) | TA (XRF) |
| 4.25 | 0.18 | 3.67 | 0.029 | 0.25 | LT .01 |

CB+TA
0.26

THIS HEAT MELTED BY THE ELECTRIC ARC/AOD PROCESSES

NO WELD REPAIR.

MATERIAL IS MANUFACTURED FREE FROM MERCURY, RADIUM AND ALPHA SOURCE CONTAMINATION.

EDDY CURRENT TEST PERFORMED

HOT REDUCTION RATIO = 44:1

MILL HEAT TREATMENT:

TYPE SOL ANL
TEMP 1900F (1037C)
TIME (BATCH FURNACE) 1.40 HOURS
QUENCH WATER

DISCS MACROETCHED AND APPROVED

HARDNESS AS SHIPPED, HBW - 353 (MIDRADIUS)

MAGNETIC PARTICLE: FREQUENCY = 0 / SEVERITY = 0

MICROSTRUCTURE - FERRITE 1.25%

CERTIFICATE OF TESTS
CERT SERIAL# 000777854

TALLEY METALS
A Carpenter Company

Talley Metals Technology, Inc.
205 Talley Metals Lane
McBee, SC 29101 Tel: (610) 208-2000 (800) 338-4592

ABNAHMEPRUEFZEUGNIS

CERTIFICAT DE CONTROLE

- THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47.
- THE VALUES AND OTHER TECHNICAL DATA REPRESENT THE RESULTS OF ANALYSES AND TESTS MADE ON SAMPLES COLLECTED FROM THE TOTAL LOT. ORIGINAL DATA RECORDS CAN BE TRACED BY REFERENCE TO THE CARPENTER ORDER NUMBER.
- MATERIAL IS MANUFACTURED FREE FROM MERCURY, RADIUM, ALPHA AND GAMMA SOURCE CONTAMINATION.
- THIS DOCUMENT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN CONSENT OF CARPENTER TECHNOLOGY CORPORATION.

06/03/11
CUSTOMER/BESTELLER/CLIENT

SELLER/VERKÄUFER/VENDEUR PAGE 2 OF 2

A.M. CASTLE & CO

3400 N WOLF RD
FRANKLIN PARK IL 60131

HVL

| CUSTOMER ORDER NO./BESTELL-NR./N° DE COMMANDE | CARPENTER NO./WERKS-NR./N° DE REFERENCE INTERNE | DATE/DATUM/DATE | WEIGHT/GEWICHT/POIDS |
|---|---|-----------------|----------------------|
| 97965-005 | W90292 | 06/03/11 | 1304.000 |

| | |
|--|---|
| HEAT NUMBER / SCHMELZE-NR. / N° DE COULEE: CAPABILITY ----- 900 F (482 C), 01 HR | G17533 |
| (T) RANSVERSE (L) ONGITUDINAL YIELD STRENGTH, (0.20 %) KSI (MPA) TENSILE STRENGTH, KSI (MPA) ELONGATION IN 1.40", % REDUCTION OF AREA, % HARDNESS , HBW | <p>AIR COOL</p> <p>L 203.0 (1400) 207.0 (1427) 18.0 49.0 409.0</p> <p>(CONVERTED FROM TENSILE STRENGTH)</p> |

NO WELD REPAIR PERFORMED
MATERIAL PRODUCED ON THIS ORDER WAS MELTED AND MANUFACTURED IN THE U.S.A.
MATERIAL HAS BEEN MELTED IN USA OR QUALIFYING COUNTRY TO DFARS REQUIREMENTS 252.225-7014 WITH ALTERNATE 1 FOR QUALIFYING COUNTRY 225.872.1,
SUPERSEDED BY DFARS REQUIREMENTS DFARS 252.225-7008 AND 252.225-7009.
WE HEREBY CERTIFY THAT THE ABOVE TEST DATA ARE IN ACCORDANCE WITH THE PURCHASE ORDER AND SPECIFICATION REQUIREMENTS. CERTIFICATE OF TEST IS PREPARED IN ACCORDANCE WITH PARAGRAPH 3.1 OF EN 10204 (DIN50049)

STEPHANIE E. MCCULLUM
QUALITY ASSURANCE ENGINEER
CARPENTER TECHNOLOGY CORPORATION

Castle Metals FP

HEAT NUMBER G17533
MECHANICAL ID 26220
ITEM CODE 97965
LOT NUMBER 97965
RECEIPT DATE 6-15-2011
SUPPLIER TALLEY
SPECIFICATION
LCS 10
COMMENT
APPROVED b1

Stephanie McCullum



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO16769**

Purchase Order Date 4/19/12

PO Print Date 4/20/12

Page Number 1 of 1

Order From :
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC - BOX B9204 PO BOX 9100
TORONTO, ON M4Y 3A5
CA

VC-MET001

| | | | |
|--------------------|--------------|-----------------|---------------------|
| Contact Name | | Buyer | Chantal Lavoie |
| Vendor Phone | 514 694 9575 | Requisition Nbr | |
| Vendor Fax | 514 695 3281 | Tax Resale Nbr | 10127-2607 |
| Vendor Account Nbr | | Terms | Net 30 |
| | | Currency | CAD |
| | | FOB | Destination-Collect |

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
Copy to Roy/B

| Line Nbr | Reference Revision ID | Description/ Mfg ID | Req Date/ Taxable | Req Qty/ Unit of Measure | Ship Method | Unit Price | Extended Price |
|----------|--------------------------|----------------------------|----------------------|-----------------------------|-------------|------------|-------------------|
| 1 | M174R0.375 | 17-4 SS ROUND BAR .375" | 5/02/12 | ✓ 24.00 | Yours ppd f | \$7.8700 | \$188.88 |

Special Inst:

MATERIAL: 17-4 PH/S17400 TYPE 630 SS
ROUND BAR
AS PER AMS 5643 OR ASTM A564

PO Total: \$188.88

CL

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 2

Change Date: 4/20/12